

Architectural floor plan of a building, showing a grid system (A' through M' and 14, 15, 16). The plan includes dimensions for various sections and overall totals. A note "Примыкающее здание" (Adjacent building) points to a section on the right. The plan includes various symbols for doors, windows, and structural elements.

Поз.	Обозначение	Наименование	Кол.	Масса единицы кз	Примечание (всего, кз)
1	СТО АСЧМ 20-93	Дюпалор 3062, L=6580	20	24.69	4829.80
2	СТО АСЧМ 20-93	Дюпалор 3062, L=5980	1	29.47	29.47
3	СТО АСЧМ 20-93	Дюпалор 3062, L=3680	20	135.06	2701.20
4	СТО АСЧМ 20-93	Дюпалор 3062, L=6480	15	237.82	3567.30
5	СТО АСЧМ 20-93	Дюпалор 2562, L=5400	13	155.84	4795.52
6	ГОСТ 19903-74*	Лист 20x100, L=450	30	28.26	847.80
7	ГОСТ 19903-74*	Лист 8x120, L=330	35	2.45	85.75
8	ГОСТ 19903-74*	Лист 20x250, L=400	6	15.70	94.20
9	ГОСТ 19903-74*	Лист 20x250, L=300	81	11.78	954.18
10	ГОСТ 8509-93	Угелок L75x6 L=160	12	1.11	13.32
11	ТУ 5167-006-5092804-2007	Угнетитель - ПЕННОПЭКС 35	62	Y=0.007 м3	Угнц=0.50 м3
12	ГОСТ 19903-74*	Лист 12x50, L=300	166	4.24	699.04
13	ГОСТ 5781-82*	Ф 14 АИ L=120	464	0.15	69.60
14	ГОСТ 23279-85*	4/6 АИ-100-22x26 6 АИ-100 30 0	134	0.32	42.88
15	ГОСТ 23279-85*	4/6 АИ-100-22x26 6 АИ-100 30 0	6	0.44	2.64
16	СТО АСЧМ 20-93	Дюпалор 3062, L=3780	14	138.73	1942.22
17	ГОСТ 8240-97	Швеллер №11, L=1460	1	17.96	17.96
18	ГОСТ 8240-97	Швеллер №11, L=1300	2	15.99	31.98
19	ГОСТ 8240-97	Швеллер №11, L=900	1	11.07	11.07
20	ГОСТ 8240-97	Швеллер №11, L=250	1	3.08	3.08
		Бетон кл. В15			V=10 м³

Technical drawing of a foundation plan for a building with a basement. The drawing shows a rectangular foundation with dimensions 450x340 mm. It includes labels for "двутавр 3062(ноз.3)" and "двутавр 3062(ноз.1)", and a note "существующая ж/б балка 450x340(п) мм". Dimensions are given in mm, and levels are indicated as +2.704 and +2.384. A circular marker with "15" is at the bottom center.

Technical drawing of a concrete foundation for a chimney. The drawing shows a cross-section of the foundation with dimensions. The top width is 306.2 mm, with a 12 mm gap on each side. The total width at the base is 300 mm, with 150 mm on each side. The height of the foundation is 937 mm. The drawing includes labels for "дымная труба" (chimney pipe) and "подушка" (padding). The drawing is labeled "фундамент" (foundation) and "подушка" (padding). The drawing is labeled "фундамент" (foundation) and "подушка" (padding).

- | | | | | | | | |
|---|-------------|------|-------|--|-------|--|-------------|
| | | | | | | | 226/31-KC.2 |
| 1 | - | Нов. | 0110 | | 01.11 | НПД по капитальному ремонту памятника архитектуры "Здание, где в школе учились А.А. Короткий" (1922 - 1925 гг.), расположенного по адресу: г. Пермь, ул. Ленина и Г.Звезда д.31/16, МОУ "Техническая №17" г. Перми | |
| Изм. | № уч. | Лист | Подл. | | Дата | | |
| ГИП | Ширай | | | | | | |
| Глав.констр. | Антипова | | | | | Стадия | Лист |
| Инженер | Ведерникова | | | | | РД | 18 |
| | | | | | | Листов | |
| Схема расположения металлических балок 2-го этажа, литера В | | | | | | ООО "Пермстроймет+" | |